

CSIR-National Institute of Oceanography

MURARI P TAPASWI*

National Institute of Oceanography, Dona Paula, Goa 403 004, India

The National Institute of Oceanography (NIO) with its headquarters at Dona Paula, Goa, and regional centers at Kochi, Mumbai and Visakhapatnam, is one of the 37 constituent laboratories of the Council of Scientific & Industrial Research (CSIR), New Delhi. NIO was established on 1 January 1966 following the International Indian Ocean Expedition (IIOE) in early 1960s. The institute has grown today into a large oceanographic laboratory of international repute. The focus of research has been on observing and understanding the special oceanographic features that the North Indian basin offers. The inferences from this research have been reported in over 6500 research articles so far.

The institute has about 150 scientists (more than half of them with doctoral degree) and 190 technical support staff. The major research areas include the four traditional branches of oceanography-biological, chemical, geological/geophysical, and physical - and some other areas such as marine instrumentation and archaeology and has well equipped laboratories to conduct research in these and multidisciplinary areas. The institute also operates a coastal research vessel *CRV Sagar Sukti*, a 23 m vessel equipped for multidisciplinary oceanographic observations. The recently acquired 56.5 m long *RV Sindhu Sankalp* serves primarily on the continental margins, but it is capable of open-sea voyages. NIO's 80 m long research vessel *RV Sindhu Sadhana*, which will be capable of full open-sea studies, is under construction at the ABG Shipyard, Surat. It is expected to join the institute by end of 2012. NIO's scientists also have access to the ocean going research vessel *ORV Sagar Kanya*, operated by the Ministry of Earth Sciences. The institute has, over time, developed the capability of deploying and retrieving instruments hoisted over moorings in depths from 5 to 5,000 m. These instruments record time-series data during the period of deployment, which can be as long as two years. The institute has a library with 15,000 books and 20,000 back volumes of research journals, and online access to about 3500 current journals making it the best collection of printed literature on ocean sciences in the country.

In addition to basic research, the institute also carries out applied research sponsored by the industry. These studies include oceanographic data collection, environmental impact assessment, and modeling to predict environmental impact. The institute also provides consultancy on a number of issues including marine environmental protection and coastal zone regulations.

With the largest collection of ocean scientists in the country, and equipped with suitable ocean research infrastructure, NIO serves as an advanced center of education in ocean sciences. Many universities have recognized the institute for carrying out doctoral research, and a number of NIO scientists have been recognized as doctoral research guides. With the establishment of the Academy for Scientific and Innovative Research (AcSIR), CSIR's institutions are poised to take major initiatives in advanced education in the country. The institute has taken steps to start a School of Oceanography since 2011 to address the problem of shortage of advanced manpower in ocean sciences in the country. There are at present over 80 Junior/Senior Research Fellows (qualified through CSIR/UGC eligibility criterion) pursuing their doctoral studies in the institute. In addition, over 240 undergraduate and postgraduate students pursue their project research at this institute every year. About 5% of them come from foreign countries.

Some of the ongoing projects with a brief outline of their objectives are listed below.

Ocean Science Towards Forecasting Indian Marine Living Resource Potential

- i. To gain insights into working of a few important ecosystems on the continental shelf and slope off the coast of India through a combination of field observations, mesocosm experiments, and laboratory studies.
- ii. To improve our ability to simulate the physical systems.

*Author for Correspondence: E-mail: murari@nio.org

- iii. To develop tools for empirical prediction of the evolution of PFZs in open ocean.
- iv. To examine the potential impact of environmental changes on the inter-tidal and sub-tidal zones by conducting field observations and mesocosm experiments in these sensitive ecosystems.
- v. To conduct a inter-disciplinary observational and modeling study of a representative sample of the estuaries of India.

Geological Processes in the Indian Ocean: The Input Fluxes, Sinks and Paleoceanography

- i. Characterization of the sources of organic carbon in the sediments, estimation of the amount of (a) terrestrial organic carbon from peninsular Indian rivers reaching the sea (b) organic carbon stored in continental margins around India, and (c) carbon burial rates during the Holocene.
- ii. Quantification and geochemical fingerprinting of the amounts of mineral dust and anthropogenic aerosols reaching the northern Indian Ocean, their interactions and effect on ocean productivity, carbon cycle, rainwater chemistry.
- iii. Estimation of the fluvial trace and rare earth elemental fluxes from peninsular Indian rivers reaching the sea.
- iv. Estimation of the fluxes of volcanogenic and extra-terrestrial material in Central Indian and Wharton Basins and investigate the timing, causes, products and processes of volcanism and extra-terrestrial events.
- v. Quantitative estimation of various past climatic parameters (SST, surface salinity, carbonate ion concentration, and productivity), and reconstruction of paleo- monsoon intensity.
- vi. Understanding the relationship between monsoon and other regional coupled phenomena such as Indian Ocean Dipole (IOD), Indonesian throughflow (ITF), at glacial-interglacial, millennial and centennial time-scales.
- vii. Mapping the the cobalt rich Fe-Mn oxides on three seamounts in the Arabian Sea.
- viii. Mapping the zones of hydrothermal mineralization at the Central Indian Ridge.
- ix. Elemental and isotopic composition and the depositional environments of marine minerals and understand the metal accumulation processes in

relation to tectonics, climate and ocean processes.

- x. Understanding the active tectonics and the biogeochemistry of the associated ecosystems at the mid-ocean ridges, seamounts and fracture zones

Geo-scientific Investigations for Deciphering the Earth's Internal Processes and Exploration of Energy Resources

- i. Imaging the internal structures beneath the oceanic region, geologically complex basins and Indian continent. Modeling of crust and upper mantle structures for reconstruction of chronological evolution of the Indian continent and adjoining margins.
- ii. Determination of the nature and evolution of the crust beneath the Laxmi and Laccadive basins and 85°E Ridge. Identification of possible occurrence of hydrocarbons and gas hydrates in the overlying sediments.
- iii. Understanding geological processes contributing to the formation of gas hydrates; to map and evaluate the potential gas hydrate resources in Cauvery and Laccadive basins.

Indian Aquatic Ecosystems: Impact of Deoxygenation, Eutrophication and Acidification

- i. To understand processes responsible for formation of oxygen minimum zones in the North Indian Ocean and to evaluate the extent of ongoing changes in oxygen
- ii. Assess their distribution in the region through observations and modeling.
- iii. To establish trends in changes in seawater pH in the North Indian Ocean and evaluate the impact of acidification on biogeochemistry and ecosystems.
- iv. To understand the fate of fertilizers, especially nitrogen, in terrestrial ecosystems in order to evaluate their fluxes to the ocean and consequent modification of coastal biogeochemistry and ecology.
- v. To improve the understanding of OMZ processes such as redox transformations of biogenic elements and their interactions, microbial ecology, trophic transfers in low oxygen waters, and effect of oxygen deficiency on benthic processes, and to evaluate the current and future impacts of human activities on these processes.
- vi. To reconstruct paleo-redox conditions from sedimentary record from the Indian continental margin.

Analyses and Harnessing of Marine Biodiversity for Bioremediation of Aquaculture and Other Industrial Effluents

- i. Biodiversity and habitat analyses for biotechnologically useful marine biota possessing in particular bioremediation properties;
- ii. Screening for Bioactivity potency for pollutant degradation/detoxification, and biochemical characterizations of the most promising, select moieties;
- iii. Purification, characterization and screening of select bioactive molecules/principles useful pollution bioremediation;
- iv. Optimization of culture-conditions for microflora and standardization of protocols for preparing extracts;
- v. Sequential fractionation, Biochemical/structural characterization of novel principles -for instance- of an enzyme with the highest heavy metal-detoxifying potency, a set 2-3 best performing marine proteases, phosphatases, kinases and laccases;
- vi. Cyto-toxicity evaluation of economically viable marine biotic bioremediating principles and compound/s.

Impact of Natural and Anthropogenic Stresses on the Coastal Environment of India

- i. Studies on the physical, chemical and biological processes of the coastal waters as well as the impact of various natural and anthropogenic stresses on the coastal zone by optimizing the data collection and processing techniques, improving the modelling techniques and monitoring through multidisciplinary approach.
- ii. Studies on the wave energy dissipation due to suspended sediments and air-sea momentum flux during cyclone using WW3 / WAM and SWAN models.
- iii. Assessment of the Coupling of atmospheric (MM5/WRF) and ocean (ROMS) models to understand the influence of general circulation of the Indian Ocean and its role to coastal processes.
- iv. Establishment of observation systems for measurement and real time reporting of sea level and surface meteorological parameters.
- v. Monitoring and modeling the dynamics of surf zone, beach face and shoreline at select locations (Ratnagiri, Honnavar, Puduchery and Rameswaram).

- vi. Assessment of the vulnerability of the coasts to different sea-level rise scenarios (Eg: Kerala coast and the Gulf of Kachchh coast).
- vii. Studies on the formation and transportation of tar balls to the west coast of India.
- viii. Determination of waste assimilative capacity of Mumbai coastal waters using WASP water quality model.
- ix. Monitoring of the water and sediment quality and microbiology to assess the health of coastal waters as well as using biota as indicators of toxic metal contamination and index of pollution.
- x. Study on the pollution of the coastal, estuarine and riverine environments using WQI and TSI methods and modeling.
- xi. Assessment of sediment geochemistry of major and trace elements in the estuarine and coastal sediments, and studying the sediment pollution using satellite data.
- xii. Development of the advisories to coastal stakeholders using the expertise gained through measurements, modeling and monitoring of the coastal oceans,

Geological and Geophysical Studies of Coastal Zone of India

- i. High resolution geo-scientific investigations of coastal regions off west coast of India.
- ii. High resolution geological and geophysical exploration of seabed and sub-seabed features to address issues related to societal and industrial applications.
- iii. Coastal zone investigations related to delineate CRZ for Govt. and industrial agencies.
- iv. Creation of up to date geo-scientific database using Geographic Information System

Development of Autonomous Platform/s for Ocean Applications

- i. Study of bio-optical properties of the coastal waters
- ii. Understanding the role of bio-optical properties in the regions of oxygen minimum, thermal inversion layers, algal blooms, dust plumes and underwater visibility.
- iii. Development of various bio-optical algorithms of the coastal waters for the ocean color remote sensing applications.

- iv. Development of simple systems for automated measurements of multiple water parameters during blooms in the coastal waters and the estuaries.

Marine Ecological Assessment and Studies for Sustainable Developments in the Coastal and Shelf Areas in West Coast of India

- i. Marine environmental impact assessment of designated coastal developments with multidisciplinary approach and recommendation for suitable marine environment management plan to minimize adverse impacts on local ecology.
- ii. To continue periodic monitoring of water quality, sediment quality and biological diversity of the coastal and inshore areas of Gujarat and Maharashtra states under the COMAPS to identify changes, if any, beyond the natural variability.
- iii. To investigate the environmental and ecological recovery of Thane and Versova creeks in space and time subsequent to reduction in pollution loads and isolation of novel microorganisms with possible bioactive properties.
- iv. To develop expertise in the use of numerical models for quantitative prediction of selected impacts on marine environment due to designated activity in the coastal zone.

Selected Articles – Marine Geology and Geophysics

- Ajay, K.K. and Chaubey, A.K., 2008. Depth anomalies in the Arabian Basin, NW Indian Ocean. *Geo-Mar. Lett.*, v. 28(1), p. 15-22.
- Laluraj, C.M., Gopinath, G., DineshKumar, P.K. and Balachandran, K.K., 2008. Hydrodynamic and geomorphic controls on the morphology of an island ecosystem in the Vembanad Lake, West Coast of India. *Jour. Coast. Res.*, v. 24(SI 2), p. 145-150.
- Mascarenhas, A. and Jayakumar, S., 2008. An environmental perspective of the post-tsunami scenario along the coast of Tamil Nadu, India: Role of sand dunes and forests. *Jour. Environ. Manage.*, v. 89(1), p. 24-34.
- Singh, A.K., Deo, M.C. and SanilKumar, V. 2008. Prediction of littoral drift with artificial neural networks. *Hydrol. Earth Syst. Sci.*, v. 12, p. 267-275.
- Mukhopadhyay, R., Rajesh, M., De, Sutirtha, Chakraborty, B. and Jauhari, P. 2008. Structural highs on the western continental slope of India: Implications for regional tectonics. *Geomorphology*, v. 96(1-2), p. 48-61.
- KameshRaju, K.A. Chaubey, A.K., Amarnath, D. and Mudholkar, A.V., 2008. rhotectonics of the Carlsberg Ridge between 62 degrees 20 minutes and 66 degrees 20 minutes E, northwest Indian Ocean. *Mar. Geol.*, v. 252(3-4), p. 120-128.

Eco-biogeography and Biotechnology of Estuaries and Coastal Waters of India

- i. Study of different biogeochemical processes in Cochin estuary and adjoining coastal marine regions.
- ii. Studies on microbial ecology of Indian estuaries / coastal waters.
- iii. Marine microbial biotechnology – delivering useful products for the society.
- iv. Environment impact assessment studies - contribution to society and advisories to industry.

Coastal Processes and Tectonics of Eastern Continental Margin of India

- i. internal waves and their impact on the sound propagation from in situ observations and modeling Beach processes and their response to the coastal circulation variability
- ii. Upwelling variability along the central east coast of India
- iii. Phytoplankton physiology and major elemental cycling in the coastal waters.
- iv. To decipher the structure and tectonics of the offshore basins of ECMI from the marine geophysical studies.
- v. Variation of late Quaternary sea level and delineation of marine geohazard regions using shallow seismic data.

- Graindorge, D., Klingelhoefer, F., Sibuet, J-C., McNeill, L., Henstock, T.J., Dean, S., Gutscher, M-A., Dessa, J.X., Permana, H., Singh, S.C., Leau, H., White, N., Carton, H., Malod, J.A., Rangin, C., Aryawan, K.G., Chaubey, A.K., Chauhan, A., Galih, D.R., Greenroyd, C.J., Laesanpura, A., Prihantono, J., Royle, G. and Shankar, U., 2008. Impact of lower plate structure on upper plate deformation at the NW Sumatran convergent margin from seafloor morphology. *Earth Planet. Sci. Lett.*, v. 275(3-4), p. 201-210.
- Chaubey, A.K., Srinivas, K., Ashalatha, B. and Rao, D.G., 2008. Isostatic response of the Laccadive Ridge from admittance analysis of gravity and bathymetry data. *Jour. Geodyn.*, v. 46(1-2), p. 10-20.
- Sreejith, K.M., Krishna, K.S. and Bansal, A.R., 2008. Structure and isostatic compensation of the Comorin Ridge, north central Indian Ocean. *Geophys. Jour. Int.*, v. 175(2), p. 729-741.
- Pari, Y., RamanaMurthy, M.V., Jayakumar, S., Subramanian, B.R. and Ramachandran, S., 2008. Morphological changes at Vellar estuary, India - Impact of the December 2004 tsunami. *Jour. Environ. Manage.*, v. 89(1), p. 45-57.
- Khadge, N.H. and Valsangkar, A.B., 2008. Geotechnical characteristics of siliceous sediments from the Central Indian Basin. *Curr. Sci.*, v. 94(12), p. 1570-1573.

- Subrahmanyam, V., Subrahmanyam, A.S., Murty, G.P.S. and Murthy, K.S.R., 2008. Morphology and tectonics of Mahanadi Basin, northeastern continental margin of India from geophysical studies. *Mar. Geol.*, v. 253(1-2), p. 63-72.
- Kunte, P.D., 2008. Sediment concentration and bed form structures of Gulf of Cambay from remote sensing. *Int. Jour. Remote Sens.*, v. 29(8), p. 2169-2182.
- Sarkar, A., Gaitonde, D.C.S., Sarkar, Amit, Vashistha, D., DeSilva, C. and Dalal, S.G., 2008. Evaluation of impairment of DNA integrity in marine gastropods (*Cronia contracta*) as a biomarker of genotoxic contaminants in coastal water around Goa, west coast of India. *Ecotoxicol. Environ. Safety.*, v. 71(2), p. 473-482.
- Subrahmanyam, C., Gireesh, R., Chand, S., KameshRaju, K.A. and Rao, D.G., 2008. Geophysical characteristics of the Ninetyeast Ridge-Andaman island arc/trench convergent zone. *Earth Planet. Sci. Lett.*, v. 266(1-2), p. 29-45.
- Jayakumar, S., Naik, K.A., Ramanamurthy, M.V., Ilangovan, D., Gowthaman, R. and Jena, B.K., 2008. Post-tsunami changes in the littoral environment along the southeast coast of India. *Jour. Environ. Manage.*, v. 89(1), p. 35-44.
- Mascarenhas, A., 2008. Sand fences: An environment-friendly technique to restore degraded coastal dunes, *Jour. Geol. Soc. India*, v. 71(6); p. 868-870.
- Govil, P. and Naidu, P.D., 2008. Late Quaternary changes in depositional processes along the western margin of the Indus Fan., *Geo-Mar. Lett.*, v. 28(1), p. 1-6.
- Khare, N., Nigam, R. and Hashimi, N.H., 2008. Revealing monsoonal variability of the last 2,500 years over India using sedimentological and foraminiferal proxies. *Facies*, v. 54(2), p. 167-173.
- Pandey, D., Chaubey, A.K. and Rajan, S. 2008. Seismic imaging of glaciomarine sediments of Antarctica: Optimizing the acquisition parameters. *Indian Jour. Mar. Sci.*, v. 37(4), p. 412-418.
- Kurian, S., Nath, B.N., Ramaswamy, V., Naman, D., Rao, T.G., KameshRaju, K.A., Selvaraj, K. and Chen, C.T.A. 2008. Possible detrital, diagenetic and hydrothermal sources for Holocene sediments of the Andaman backarc basin. *Mar. Geol.*, v. 247(3-4), p. 178-193.
- Mohan, R., Mergulhao, L.P., Guptha, M.V.S., Rajakumar, A., Thamban, M., AnilKumar, N., Sudhakar, M. and Ravindra, R., 2008. Ecology of coccolithophores in the Indian sector of the Southern Ocean. *Mar. Micropaleontol.*, v. 67(1-2); p. 30-45.
- Nath, B.N., Borole, D.V., Aldahan, A. and Patil, S.K., Mascarenhas-Pereira, M.B.L., Possnert, G., Ericsson, T., Ramaswamy, V., Gupta, S.M. 2008. Sup(210)Pb, sup(230)Th, and sup(10)Be in Central Indian Basin seamount sediments: Signatures of degassing and hydrothermal alteration of recent origin. *Geophys. Res. Lett.*, v. 35(9), doi:10.1029/2008GL033849(6 pp).
- Subrahmanyam, V., Krishna, K.S., Ramana, M.V. and Murthy, K.S.R., 2008. Marine geophysical investigations across the submarine canyon (Swath-of-No-Ground), northern Bay of Bengal. *Curr. Sci.*, v. 94(4), p. 507-513.
- Paropkari, A.L., 2008. Abiogenic origin of petroleum hydrocarbons: Need to rethink exploration strategies. *Curr. Sci.*, v. 95(8), p. 1018-1020.
- Verma, H.C., Misra, S., ShyamPrasad, M., Bijlani, N., Tripathi, A. and Newsom, H., 2008. Mossbauer studies on impactites from Lonar impact crater. *Hyperfine Interact.*, v. 186(1-3), p. 15-22.
- Jauhari, P. and Iyer, S.D., 2008. A comprehensive view of manganese nodules and volcanics of the Central Indian Ocean Basin. *Mar. Georesour. Geotechnol.*, v. 26(4), p. 231-258.
- Nigam, R., Kurtarkar, S.R., Saraswat, R., Linshy, V.N. and Rana, S.S., 2008. Response of benthic foraminifera *Rosalina leei* to different temperature and salinity, under laboratory culture experiment. *Jour. Mar. Biol. Assoc. UK*, v. 88(4), p. 699-704.
- Mazumdar, A., Goldberg, T. and Strauss, H., 2008. Abiotic oxidation of pyrite by Fe(III) in acidic media and its implications for sulfur isotope measurements of lattice-bound sulfate in sediments. *Chem. Geol.*, v. 253(1-2), p. 30-37.

2009

- Narayana, A.C., Naidu, P.D., Shinu, N., Nagabhusanam, P. and Sukhija, B.S., 2009. Carbonate and organic carbon content changes over last 20 ka in the Southeastern Arabian Sea: Paleooceanographic implications. *Quatern. Int.*, v. 206(1-2), p. 72-77.
- Vineesh, T.C., Nath, B.N., Banerjee, R., Jaisankar, S. and Lekshmi, V., 2009. Manganese nodule morphology as indicators for oceanic processes in the Central Indian Basin. *Int. Geol. Rev.*, v. 51(1), p. 27-44.
- De, C. and Chakraborty, B., 2009. Acoustic characterization of seafloor sediment employing a hybrid method of neural network architecture and fuzzy algorithm. *IEEE Geosci. Remote Sens. Lett.*, v. 6(4), p. 743-747.
- Ray, Dwijesh, Banerjee, R., Iyer, S.D., Basavalingu, B. and Mukhopadhyay, S., 2009. Glass and mineral chemistry of northern central Indian ridge basalts: Compositional diversity and petrogenetic significance. *Acta Geol. Sin.*, v. 83(6), p. 1122-1135.
- Das, P. and Iyer, S.D., 2009. Geochemical characterization of oceanic basalts using artificial neural network. *Geochem. Trans.*, v. 10, 11 pp.
- Krishna, K.S., Bull, J.M. and Scrutton, R.A., 2009. Early (pre-8 Ma) fault activity and temporal strain accumulation in the central Indian Ocean. *Geology.*, v. 37(3), p. 227-230.
- Yatheesh, V., Bhattacharya, G.C. and Dymant, J., 2009. Early oceanic opening off Western India-Pakistan margin: The Gop Basin revisited. *Earth Planet. Sci. Lett.*, v. 284(3-4), p. 399-408.
- Khare, N., Chaturvedi, S.K., Ingole, B.S. and 2009. Tsunami induced transportation of the coastal marine sediments to distant onshore regions: Some indications from foraminiferal and microbenthic studies of new Wandoor region (Andaman & Nicobar). *Disaster Adv.*, v. 2(1), p. 7-11.
- Desa, M., Ramana, M.V. and Ramprasad, T., 2009. Evolution of the Late Cretaceous crust in the equatorial region of the Northern Indian Ocean and its implication in understanding the plate kinematics. *Geophys. Jour. Int.*, v. 177(3), p. 1265-1278,
- Krishna, K.S., Michael, L., Bhattacharyya, R. and Majumdar, T.J., 2009. Geoid and gravity anomaly data of conjugate regions of Bay of Bengal and Enderby Basin: New constraints on breakup and early spreading history between India and Antarctica. *Jour. Geophys. Res.*, (B: Solid Earth), v. 114(3), 21 pp; doi:10.1029/2008JB005808

- Valsangkar, A.B., Borole, D.V., Shejwalkar, A.S., Kalangutkar, N.G., Fernandes, N.O. and Dias, C.C., 2009. Potential diagenetic and detrital sources for calcareous sediments from the Carlsberg Ridge, Indian Ocean. *Curr. Sci.*, v. 96(8), p. 1090-1099.
- Michael, L., Rao, D.G., Krishna, K.S. and Vora, K.H., 2009. Late Quaternary seismic sequence stratigraphy of the Gulf of Kachchh, northwest of India. *Jour. Coast. Res.*, v. 25(2), p. 459-468.
- Gujar, A.R., Angusamy, N. and Rajamanickam, G.V., 2009. Provenance signature of pre-cambrian and mesozoic rocks in the nearshore placers of Konkan, central west coast of India. *Mar. Georesour. Geotechnol.*, v. 27(2), p. 115-131.
- Ramana, M.V., Ramprasad, T., Paropkari, A.L., Borole, D.V., Rao, B.R., Karisiddaiah, S.M., Desa, M., Kocherla, M., Joao, H.M., LokaBharathi, P.A., Gonsalves, M.J.B.D., Pattan, J.N., Khadge, N.H., PrakashBabu, C., Sathe, A.V., Kumar, P. and Sethi, A.K., 2009. Multidisciplinary investigations exploring indicators of gas hydrate occurrence in the Krishna-Godavari Basin offshore, east coast of India. *Geo-Mar. Lett.*, v. 29(1), p. 25-38.
- Mazumdar, A., Peketi, A., Dewangan, P., Badesab, F.K., Ramprasad, T., Ramana, M.V., Patil, D.J. and Dayal, A.M., 2009. Shallow gas charged sediments off the Indian west coast: Genesis and distribution. *Mar. Geol.*, v. 267(1-2), p. 71-85.
- Nigam, R., Prasad, V., Mazumder, A., Garg, R., Saraswat, R. and Henriques, P.J., 2009. Late Holocene changes in hypoxia off the west coast of India: Micropalaeontological evidences. *Curr. Sci.*, v. 96(5), p. 708-713.
- Valsangkar, A.B., 2009. A special core liner for sub-sampling of aqueous sediments. *Curr. Sci.*, v. 96(10), p. 1382-1386.
- Mazumdar, A., Dewangan, P., Joao, H.M., Peketi, A., Khosla, V.R., Kocherla, M., Badesab, F.K., Joshi, R.K., Roxanne, P., Ramamurty, P.B., Karisiddaiah, S.M., Patil, D.J., Dayal, A.M., Ramprasad, T., Hawkesworth, C.J. and Avanzinelli, R., 2009. Evidence of paleo-cold seep activity from the Bay of Bengal, offshore India. *Geochem. Geophys. Geosyst.*, v. 10(6), p. 15, pp(doi:10.1029/2008GC002337).
- Kessarkar, P.M., Rao, V.P., Shynu, R., Mir, I.A., Mehra, P., Michael, G.S. and Sundar, D., 2009. Wind-driven estuarine turbidity maxima in Mandovi Estuary, central west coast of India. *Jour. Earth Syst. Sci.*, v. 118(4), p. 369-377.
- Swamy, K.V., Murthy, I.V.R., Krishna, K.S., Murthy, K.S.R., Subrahmanyam, A.S. and Rao, M.M.M., 2009. Magnetic anomalies of offshore Krishna-Godavari basin, eastern continental margin of India. *Jour. Earth Syst. Sci.*, v. 118(4), p. 405-412.
- Ray, Dwijesh, Banerjee, R., Iyer, S.D. and Mukhopadhyay, S., 2009. Evidences for seawater-rock hydrothermal interaction in the serpentinites from Northern Central Indian Ridge. *Curr. Sci.*, v. 97(8), p. 1239-1243.
- Bhattacharya, S.K., Borole, D.V., Francey, R.J.; Allison, C.E., Steele, L.P., Krummel, P., Langenfelds, R., Masarie, K.A., Tiwari, Y.K. and Patra, P.K., 2009. Trace gases and CO₂ isotope records from Cabo de Rama, India. *Curr. Sci.*, v. 97(9), p. 1336-1344.
- Valsangkar, A.B. and Fernandes, D., 2009. Impact of offshore placer mining experiments (PLAMEX) on the sediment size and heavy minerals. *Curr. Sci.*, v. 97(10), p. 1467-1472.
- Ray, Dwijesh, Mevel, C. and Banerjee, R., 2009. Hydrothermal alteration studies of gabbros from northern central Indian ridge and their geodynamic implications. *Jour. Earth Syst. Sci.*, v. 118(6), p. 659-676.
- Majumdar, T.J., Bhattacharyya, R., Chatterjee, Sirsendu and Krishna, K.S., 2009. Utilization of high resolution satellite geoid data for estimation of lithospheric thickness in the Bay of Bengal. *Indian Jour. Mar. Sci.*, v. 38(4), p. 382-389.

2010

- Rao, V.P., Kessarkar, P.M., Thamban, M. and Patil, S.K., 2010. Paleoclimatic and diagenetic history of the Late Quaternary sediments in a core from the southeastern Arabian Sea: Geochemical and magnetic signals. *Jour. Oceanogr.*, v. 66(1), p. 133-146.
- Govil, P. and Naidu, P.D., 2010. Evaporation-precipitation changes in the eastern Arabian Sea for the last 68 ka: Implications on monsoon variability. *Paleoceanography.*, v. 25, 11pp; doi:10.1029/2008PA001687.
- Banakar, V.K., Mahesh, B.S., Burr, G. and Chodankar, A.R., 2010. Climatology of the Eastern Arabian Sea during the last glacial cycle reconstructed from paired measurement of foraminiferal delta sup(18)O and Mg/Ca. *Quat. Res.*, v. 73(3), p. 535-540.
- Chauhan, O.S., Vogelsang, E., Basavaiah, N. and Kader, U.S.A., 2010. Reconstruction of the variability of the southwest monsoon during the past 3 ka, from the continental margin of the southeastern Arabian Sea. *Jour. Quat. Sci.*, v. 25(5), p. 798-807.
- Saraswat, R. and Khare, N., 2010. Deciphering the modern calcification depth of *Globigerina bulloides* in the southwestern Indian Ocean from its oxygen isotopic composition, *Jour. Foraminifer. Res.*, v. 40(3), p. 220-230.
- Naik, S.S., Naidu, P.D., Govil, P. and Godad, S.P. 2010. Relationship between weights of planktonic foraminifer shell and surface water CO₂ sub(3) sup(=) concentration during the Holocene and Last Glacial Period. *Mar. Geol.*, v. 275(1-4), p. 278-282.
- Sijinkumar, A.V., Nath, B.N. and Guptha, M.V.S., 2010. Late Quaternary record of pteropod preservation from the Andaman Sea. *Mar. Geol.*, v. 275(1-4), p. 221-229.
- Naik, S.S., Thamban, M., Laluraj, C.M., Redkar, B.L. and Chaturvedi, A., 2010. A century of climate variability in central Dronning Maud Land, East Antarctica, and its relation to Southern Annular Mode and El Nino-Southern Oscillation. *Jour. Geophys. Res. (D: Atmos)*, v. 115(16), doi:10.1029/2009JD013268(12 pp).
- Chauhan, O.S., Dayal, A.M., Basavaiah, N. and Kader, U.S.A., 2010. Indian summer monsoon and winter hydrographic variations over past millennia resolved by clay sedimentation. *Geochem. Geophys. Geosyst.*, v. 11(9), 12 pp; <http://dx.doi.org/10.1029/2010GC003067>.
- Naidu, P.D. and Govil, P., 2010. New evidence on the sequence of deglacial warming in the tropical Indian Ocean. *Jour. Quat. Sci.*, v. 25(7), p. 1138-1143.
- Bulow, S.E., Rich, J.J., Naik, H., Pratihary, A.K. and Ward, B.B., 2010. Denitrification exceeds anammox as a nitrogen loss pathway in the Arabian Sea oxygen minimum zone. *Deep-Sea Res. (I: Oceanogr. Res. Pap.)*, v. 57(3), p. 384-393
- Chakraborty, P., 2010. Study of cadmium-humic interactions and determination of stability constants of cadmium-humate complexes from their diffusion coefficients obtained by scanned stripping voltammetry and dynamic light scattering techniques.

- Anal. Chim. Acta., v. 659(1-2), p. 137-143.
- Madhu, N.V., Balachandran, K.K., Martin, G.D., Jyothibabu, R., Thottathil, S.D., Nair, M., Joseph, T. and Kusum, K.K., 2010. Short-term variability of water quality and its implications on phytoplankton production in a tropical estuary (Cochin backwaters - India). *Environ. Monit. Assess.*, v. 170(1-4), p. 287-300.
- Nair, M., Jacob, J., Nisha, P.A., Martin, G.D., Srinivas, K., Sheeba, P., Laluraj, C.M., Joseph, T. and Balachandran, K.K., 2010. Seasonal variations in the sediment biogenic properties of a tropical mangrove environment, southwest coast of India. *Environ. Earth Sci.*, v. 61(1), p. 27-35.
- Harji, R.R., Bhosle, N.B., Garg, A., Sawant, S.S. and Venkat, K., 2010. Sources of organic matter and microbial community structure in the sediments of the Visakhapatnam Harbour, east coast of India. *Chem. Geol.*, v. 276(3-4), p. 309-317.
- Kessarkar, P.M., Rao, V.P., Shynu, R., Mehra, P. and Viegas, B.E., 2010. The nature and distribution of particulate matter in the Mandovi Estuary, central west coast of India. *Estuar. Coast.*, v. 33(1), p. 30-44.
- Alagarsamy, R., You, C.-F., Nath, B.N. and SijinKumar, A.V., 2010. Determination of rare earth, major and trace elements in authigenic fraction of Andaman Sea (Northeastern Indian Ocean) sediments by inductively coupled plasma-mass spectrometry. *Microchem. Jour.* v. 94(1), p. 90-97.
- Alagarsamy, R. and Zhang, J., 2010. Geochemical characterisation of major and trace elements in the coastal sediments of India. *Environ. Monit. Assess.*, v. 161(1-4), p. 161-176.
- Mukhopadhyay, R. and Ghosh, A.K., 2010. Dynamics of formation of ferromanganese nodules in the Indian Ocean. *Jour. Asian Earth Sci.*, v. 37(4), p. 394-398.
- Paropkari, A.L., Ray, D., Balam, V., Prakash, L.S., Mirza, I.H., Satyanarayana, M., Rao, T.G. and Kaisary, S., 2010. Formation of hydrothermal deposits at Kings Triple Junction, northern Lau back-arc basin, SW Pacific: The geochemical perspectives. *Jour. Asian Earth Sci.*, v. 38(3-4), p. 121-130.
- Glasby, G.P., 2010. Incorporation of transition and platinum group elements (PGE) in Co-rich Mn crusts at Afanasiy-Nikitin Seamount (AFS) in the equatorial S Indian Ocean. *Resour. Geol.*, v. 60(2), p. 212-215.
- Glasby, G.P., Mountain, B., Vineesh, T.C., Banakar, V.K., Rajani, R. and Ren, X., 2010. Role of hydrology in the formation of Co-rich Mn crusts from the equatorial N Pacific, equatorial S Indian Ocean and the NE Atlantic Ocean. *Resour. Geol.*, v. 60(2), p. 165-177.
- Mascarenhas-Pereira, M.B.L. and Nath, B.N., 2010. Selective leaching studies of sediments from a seamount flank in the Central Indian Basin: Resolving hydrothermal, volcanogenic and terrigenous sources using major, trace and rare-earth elements. *Mar. Chem.*, v. 121(1-4), p. 49-66.
- Badarinath, K.V.S., Kharol, S.K., Kaskaoutis, D.G., Sharma, A.R., Ramaswamy, V. and Kambezidis, H.D., 2010. Long-range transport of dust aerosols over the Arabian Sea and Indian region – A case study using satellite data and ground-based measurements. *Global Planet. Change*, v. 72(3), p. 164-181.
- ShyamPrasad, M., Roy, S.K. and Gupta, A., 2010. Changes in abundance and nature of microimpact craters on the surfaces of Australasian microtektites with distance from the proposed source crater location. *Meteor. Planet. Sci.*, v. 45(6), p. 990-1006.
- De, C. and Chakraborty, B., 2010. Preference of echo features for classification of seafloor sediments using neural networks. *Mar. Geophys. Res.*, v. 31(3), p. 215-221.
- Levchenko, O.V., Sager, W.W., Frey, F.A., Pringle, M.S., Krishna, K.S., Rao, D.G., Gauntlett, E., Mervine, E.E., Marinova, Y.G., Piotrowski, A.A., Paul, S.F., Huang, S. and Eisin, A.E., 2010. New geological-geophysical data on the structure of the Ninetyeast Ridge. *Dokl. Earth. Sci.*, v. 434(1), p. 1208-1213.
- Dandapath, S., Chakraborty, B., Karisiddaiah, S.M., Menezes, A.A.A., Ranade, G., Fernandes, W.A., Naik, D.K. and Prudhvi Raju, K.N., 2010. Morphology of pockmarks along the western continental margin of India: Employing multibeam bathymetry and backscatter data. *Mar. Pet. Geol.*, v. 27(10), p. 2107-2117.
- Bhagirathan, U., Meenakumari, B., Jayalakshmy, K.V., Panda, S.K., Madhu, V.R. and Vaghela, D.T., 2010. Impact of bottom trawling on sediment characteristics - A study along inshore waters off Veraval coast, India. *Environ. Monit. Assess.*, v. 160(1-4), p. 355-369.
- Selvaraj, K., Parthiban, G., Chen, C.T.A. and Lou, J.Y., 2010. Anthropogenic effects on sediment quality offshore southwestern Taiwan: Assessing the sediment core geochemical record. *Cont. Shelf Res.*, v. 30(10-11), p. 1200-1210.
- Mukhopadhyay, R., Fernandes, W.A., Naik, Y.S. and Karisiddaiah, S.M., 2010. An insight into the 'Fifty-Fathom-Flat' off India's west coast. *Geomorphology.*, v. 118(3-4), p. 465-470.
- Murthy, K.S.R., Subrahmanyam, V., Subrahmanyam, A.S., Murty, G.P.S. and Sarma, K.V.L.N.S., 2010. Land-ocean tectonics (LOTS) and the associated seismic hazard over the Eastern Continental Margin of India (ECMI). *Nat. Hazards.*, v. 55(2), p. 167-175.
- Sager, W.W., Paul, C.F., Krishna, K.S., Pringle, M., Eisin, A.E., Frey, F.A., Rao, D.G. and Levchenko, O.V., 2010. Large fault fabric of the Ninetyeast Ridge implies near-spreading ridge formation. *Geophys. Res. Lett.*, v. 37(17), 5 pp; doi:10.1029/2010GL044347.
- Bull, J.M., DeMets, C., Krishna, K.S., Sanderson, D.J. and Merkouriev, S., 2010. Reconciling plate kinematic and seismic estimates of lithospheric convergence in the central Indian Ocean. *Geology.*, v. 38(4), p. 307-310.
- Gujar, A.R., Ambre, N.V., Mislankar, P.G. and Iyer, S.D., 2010. Ilmenite, magnetite and chromite beach placers from south Maharashtra, central west coast of India. *Resour. Geol.*, v. 60(1), p. 71-86.
- Iyer, S.D., Babu, E.V.S.S.K., Mislankar, P.G., Gujar, A.R., Ambre, N.V. and Loveson, V.J., 2010. Occurrence and emplacement of chromite ores in Sindhudurg district, Maharashtra, India. *Acta Geol. Sin.*, v. 84(3), p. 515-527.
- Sharma, R., Jaisankar, S., Samanta, S., Sardar, A.A. and Gracias, D.G., 2010. Image analysis of seafloor photographs for estimation of deep-sea minerals. *Geo-Mar. Lett.*, v. 30(6), p. 617-626.
- Dewangan, P., Ramprasad, T., Ramana, M.V., Mazumdar, A., Desa, M., and Badesab, F.K., 2010. Seabed morphology and gas venting features in the continental slope region of Krishna-Godavari basin, Bay of Bengal: Implications in gas-hydrate exploration. *Mar. Pet. Geol.*, v. 27(7), p. 1628-1641.
- Nayak, S.R., Hegde, V.S., Shalini, G., Rajawat, A.S., Girish, K.H.,

- Jayakumar, S. and Suryanarayana, A., 2010. Geomorphic processes in the vicinity of the Venkatapur river mouth, central west coast of India: Implications for estuarine sedimentation. *Jour. Coast. Res.*, v. 26(5), p. 925-934.
- Ajay, K.K., Chaubey, A.K., Krishna, K.S., Rao, D.G. and Sar, D., 2010. Seaward dipping reflectors along the SW continental margin of India: Evidence for volcanic passive margin. *Jour. Earth Syst. Sci.*, v. 119(6), p. 803-813.
- Nobi, E.P., Shivaprasad, A., Karikalan, R., Dilipan, E., Thangaradjou, T. and Sivakumar, K., 2010. Microlevel mapping of coastal geomorphology and coastal resources of Rameswaram island, India: A remote sensing and GIS perspective. *Jour. Coast. Res.*, v. 26(3), p. 424-428.
- Subrahmanyam, A.S., Subrahmanyam, V., Sarma, K.V.L.N.S., Murty, G.P.S. and Murthy, K.S.R., 2010. Land-ocean tectonic signatures of the Krishna-Godavari Basin, a qualitative evaluation. *Curr. Sci.*, v. 98(4), p. 485-487.
- PrakashBabu, C., Pattan, J.N., Dutta, K., Basavaiah, N., Prasad, G.V.K., Ray, D.K. and Govil, P., 2010. Shift in detrital sedimentation in the eastern Bay of Bengal during the late Quaternary. *J. Earth Syst. Sci.*, v. 119(3), p. 285-295.
- Collins, M., An, S., Cai, W., Ganachaud, A., Guilyardi, E., Jin, F.F., Jochum, M., Lengaigne, M., Power, S., Timmermann, A., Vecchi, G. and Wittenberg, A., 2010. The impact of global warming on the tropical Pacific Ocean and El Nino. *Nat. Geosci.*, v. 3(6), p. 391-397.
- Sarma, K.V.L.N.S., Subrahmanyam, V., Subrahmanyam, A.S., Murty, G.P.S. and Murthy, K.S.R., 2010. Extension of Gundlakamma River Fault over eastern continental margin of India. *Curr. Sci.*, v. 98(11), p. 1438-1439.
- Pattan, J.N., ShyamPrasad, M. and Babu, E.V.S.S.K., 2010. Correlation of the oldest Toba Tuff to sediments in the central Indian Ocean Basin. *Jour. Earth Syst. Sci.*, v. 119(4), p. 531-539.
- Gujar, A.R., Ambre, N.V., Iyer, S.D., Mislankar, P.G. and Loveson, V.J., 2010. Placer chromite along south Maharashtra, central west coast of India. *Curr. Sci.*, v. 99(4), p. 492-499.
- Rao, D.G., Paropkari, A.L., Krishna, K.S., Chaubey, A.K., Ajay, K.K. and Kodagali, V.N., 2010. Bathymetric highs in the mid-slope region of the western continental margin of India - Structure and mode of origin. *Mar. Geol.*, v. 276(1-4), p. 58-70.
- Sharma, R., 2010. First nodule to first mine-site: Development of deep-sea mineral resources from the Indian Ocean. *Curr. Sci.*, v. 99(6), p. 750-759.
- Rudraswami, N.G., Sahijpal, S. and Bhandari, N., 2010. Presence of sup(60) Fe in eucrite Piplia Kalan: A new perspective to the initial sup(60) Fe/ sup(56) Fe in the early solar system. *Curr. Sci.*, v. 99(7), p. 948-952.
- Parashar, K., ShyamPrasad, M. and Chauhan, S.S.S., 2010. Investigations on a large collection of cosmic dust from the central Indian Ocean. *Earth Moon Planets*, v. 107(2-4), p. 197-217.
- 2011**
- Godad, S.P., Naidu, P.D. and Malmgren, B.A., 2011. Sea surface temperature changes during May and August in the western Arabian Sea over the last 22 kyr: Implications as to shifting of the upwelling season. *Mar. Micropaleontol.*, v. 78(1-2), p. 25-29.
- Saraswat, R., Deopujari, A., Nigam, R. and Henriques, P.J., 2011. Relationship between abundance and morphology of benthic foraminifera *Epistominella exigua*: Palaeoclimatic implications. *Jour. Geol. Soc. India*, v. 77(2), p. 190-196.
- Sijinkumar, A.V., Nath, B.N., Possnert, G. and Aldahan, A., 2011. Pulleniatina Minimum Events in the Andaman Sea (NE Indian Ocean): Implications for winter monsoon and thermocline changes. *Mar. Micropaleontol.*, v. 81, p. 88-94.
- Mahesh, B., Banakar, V.K. and Burr, G., 2011. Paired measurements of foraminiferal delta 18 O and Mg/Ca ratios of Indian monsoons reconstructed from Holocene to Last Glacial record. *Acta Geol. Sinica.*, v. 85, p. 950-956.
- Naik, S.S., Godad, S.P. and Naidu, P.D., 2011. Does carbonate ion control planktonic foraminifera shell calcification in upwelling regions? *Curr. Sci.*, v. 101(10), p. 1370-1375.
- Thamban, M., Naik, S.S., Laluraj, C.M. and Ravindra, R., 2011. High resolution climate reconstructions of recent warming using instrumental and ice core records from coastal Antarctica. *Mausam*, v. 62(4), p. 665-672.
- Govil, P. and Naidu, P.D., 2011. Variations of Indian monsoon precipitation during the last 32 kyr reflected in the surface hydrography of the Western Bay of Bengal. *Quat. Sci. Rev.*, v. 30, p. 3871-3879.
- Laluraj, C.M., Thamban, M., Naik, S.S., Redkar, B.L., Chaturvedi, A. and Ravindra, R., 2011. Nitrate records of a shallow ice core from East Antarctica: Atmospheric processes, preservation and climatic implications. *Holocene.*, v. 21(2), p. 351-356.
- Dora, G.U., SanilKumar, V., Philip, C.S., Johnson, G., Vinayaraj, P. and Gowthaman, R., 2011. Textural characteristics of foreshore sediments along Karnataka shoreline, west coast of India. *Int. Jour. Sedim. Res.*, v. 26, p. 364-377.
- Pattan, J.N. and Parthiban, G., 2011. Geochemistry of ferromanganese nodule-sediment pairs from central Indian Ocean Basin. *Jour. Asian Earth Sci.*, v. 40(2), p. 569-580.
- Fernandes, L., Nayak, G.N., Ilangovan, D. and Borole, D.V., 2011. Accumulation of sediment, organic matter and trace metals with space and time, in a creek along Mumbai coast, India. *Estuar. Coast. Shelf Sci.*, v. 91(3), p. 388-399.
- Rudraswami, N.G., Parashar, K. and ShyamPrasad, M., 2011. Micrometer- and nanometer-sized platinum group nuggets in micrometeorites from deep-sea sediments of the Indian Ocean. *Meteor. Planet. Sci.*, v. 46(3), p. 470-491.
- Shynu, R., Rao, V.P., Kessarkar, P.M. and Rao, T.G., 2011. Rare earth elements in suspended and bottom sediments of the Mandovi estuary, central west coast of India: Influence of mining. *Estuar. Coast. Shelf Sci.*, v. 94, p. 355-368.
- Tripathy, G.R., Singh, S.K. and Bhushan, R., Ramaswamy, V., 2011. Sr-Nd isotope composition of the Bay of Bengal sediments: Impact of climate on erosion in the Himalaya. *Geochem. Jour.*, v. 45, p. 175-186.
- Rudraswami, N.G., Ushikubo, T., Nakashima, D. and Kita, N.T., 2011. Oxygen isotope systematics of chondrules in the Allende CV3 chondrite: High precision ion microprobe studies. *Geochim. Cosmochim. Acta.*, v. 75, p. 7596-7611.
- De, Ch. and Chakraborty, B., 2011. Model-based acoustic remote sensing of seafloor characteristics. *IEEE Trans. Geosci. Remote Sens.*, v. 49, p. 3868-3877.

- Udayaganesan, P., Angusamy, N., Gujar, A.R. and Rajamanickam, G.V., 2011. Surface microtextures of quartz grains from the central coast of Tamil Nadu. *Jour. Geol. Soc. India*, v. 77(1), p. 26-34.
- Valsangkar, A.B. and Fernandes, D., 2011. Pre- and post-monsoonal changes in grain size and heavy minerals in the sediments from Kalbadevi Bay, Ratnagiri, west coast of India. *Indian Jour. Geo-Mar. Sci.*, v. 40(5), p. 657-663.
- Rao, V.P., Shynu, R., Kessarkar, P.M., Sundar, D., Michael, G.S., Narvekar, T., Blossom, V. and Mehra, P., 2011. Suspended sediment dynamics on a seasonal scale in the Mandovi and Zuari estuaries, central west coast of India. *Estuar. Coast. Shelf Sci.*, v. 91(1), p. 78-86.
- Michael, L. and Krishna, K.S., 2011. Dating of the 85 degrees E Ridge (northeastern Indian Ocean) using marine magnetic anomalies. *Curr. Sci.*, v. 100(9), p. 1314-1322.
- Ray, Dwijesh, Misra, S., Banerjee, R. and Weis, D., 2011. Geochemical implications of gabbro from the slow-spreading Northern Central Indian Ocean Ridge, Indian Ocean. *Geol. Mag.*, v. 148(3), p. 404-422.
- Kalangutkar, N.G., Iyer, S.D. and Ilangoan, D., 2011. Physical properties, morphology and petrological characteristics of pumices from the Central Indian Ocean Basin. *Acta Geol. Sinica.*, v. 85, p. 826-839.
- Valsangkar, A.B., 2011. Spatial distribution and longitudinal variation of clay minerals in the Central Indian Basin. *Acta Geol. Sinica.*, v. 85, p. 814-825.
- Sharma, R., 2011. Deep-sea mining: Economic, technical, technological, and environmental considerations for sustainable development. *Mar. Technol. Soc. Jour.*, v. 45(5), p. 28-41.
- Sreejith, K.M., Radhakrishna, M., Krishna, K.S. and Majumdar, T.J., 2011. Development of the negative gravity anomaly of the 85 degrees E Ridge, northeastern Indian Ocean – A process oriented modelling approach. *Jour. Earth Syst. Sci.*, v. 120(4), p. 605-615.
- Ramprasad, T., Dewangan, P., Ramana, M.V., Mazumdar, A., Karisiddaiah, S.M., Ramya, E.R. and Sriram, G., 2011. Evidence of slumping/sliding in Krishna-Godavari offshore basin due to gas/fluid movements. *Mar. Pet. Geol.*, v. 28, p. 1806-1816.
- Dewangan, P., Srirama, G., Ramprasad, T., Ramana, M.V. and Jaiswal, P., 2011. Fault system and thermal regime in the vicinity of site NGHP-01-10, Krishna-Godavari basin, Bay of Bengal. *Mar. Pet. Geol.*, v. 28, p. 1899-1914.
- Tiwari, M., Mohan, R., Thamban, M., Naik, S.S. and Sudhakar, M., 2011. Effect of varying frontal systems on stable oxygen and carbon isotopic compositions of modern planktic foraminifera of Southern Ocean. *Curr. Sci.*, v. 100(6), p. 881-887.
- Saraswat, R., 2011. Global equatorial sea-surface temperatures over the last 150,000 years: An update from foraminiferal elemental analysis. *Curr. Sci.*, v. 100(8), p. 1201-1206.
- Murthy, K.S.R., Chaubey, A.K. and Radhakrishna, M., 2011. Tectonics of Bay of Bengal and Arabian Sea with special emphasis on coastal and marine geohazards. *Nat. Hazards*, v. 57(1), p. 1-5.
- Kurtarkar, S.R., Nigam, R., Saraswat, R. and Linshy, V.N., 2011. Regeneration and abnormality in benthic foraminifer *Rosalina leei*: Implications in reconstructing past salinity changes. *Riv. Ital. Paleontol. Stratigr.*, v. 117(1), p. 189-196.
- Meshram, D.C., Sangode, S.J., Gujar, A.R., Ambre, N.V., Dhongle, D. and Porate, S., 2011. Occurrence of soft sediment deformation at Dive Agar beach, west coast of India: possible record of the Indian Ocean tsunami (2004). *Nat. Hazards*, v. 57(2), p. 385-393.
- Janin, M., Hemond, C., Guillou, H., Maia, M., Johnson, K.T.M., Bollinger, C., Liorzou, C. and Mudholkar, A.V., 2011. Hot spot activity and tectonic settings near Amsterdam–St. Paul plateau (Indian Ocean). *Jour. Geophys. Res. (B: Solid Earth)*, v. 116(5), 17 pp; doi:10.1029/2010JB007800.
- Sujith, P.P., Das, A., Mourya, B.S. and LokaBharathi, P.A., 2011. Immobilisation of manganese, cobalt and nickel by deep-sea-sediment microbial communities. *Chem. Ecol.*, v. 27(3), p. 189-206.
- Nakashima, D., Ushikubo, T., Rudraswami, N.G., Kita, N.T., Valley, J.W. and Naga, K., 2011. Ion microprobe analyses of oxygen three-isotope ratios of chondrules from the Sayh al Uhaymir 290 CH chondrite using a multiple-hole disk. *Meteor. Planet. Sci.*, v. 46(6), p. 857-874.
- Gujar, A.R., Ganesan, P., Iyer, S.D., Gaonkar, S.S., Ambre, N.V., Loveson, V.J. and Mislankar, P.G., 2011. Influence of morphodynamic variability over seasonal beach sediments and its probable effect on coastal development. *Ocean Coast. Manage.*, v. 54(7), p. 514-523.
- Saraswat, R., Nigam, R. and Pachkhande, S., 2011. Difference in optimum temperature for growth and reproduction in benthic foraminifer *Rosalina globularis*: Implications for paleoclimatic studies. *Jour. Exp. Mar. Biol. Ecol.*, v. 405(1-2), p. 105-110.
- Thamban, M., Laluraj, C.M., Naik, S.S. and Chaturvedi, A., 2011. Reconstruction of Antarctic climate change using ice core proxy records from the coastal Dronning Maud Land, East Antarctica. *Jour. Geol. Soc. India*, v. 78(1), p. 19-29.
- Chakraborty, P., Babu, P.V.R. and Sarma, V.V., 2011. A multi-method approach for the study of lanthanum speciation in coastal and estuarine sediments. *Jour. Geochem. Explor.*, v. 110(2), p. 225-231.
- Mazumdar, A., Joshi, R.K., Peketi, A. and Kocherla, M., 2011. Occurrence of faecal pellet-filled simple and composite burrows in cold seep carbonates: A glimpse of a complex benthic ecosystem. *Mar. Geol.*, v. 289, p. 117-121.
- Please visit :** www.nig.org > Research > publications for literature published in other areas of oceanography.