

- Cui S, Goldsmith A and Bahai A (2005) Energy-constrained Modulation Optimization in *Journal of IEEE Transactions on Wireless Communications* **4** 2349-2360.
- IEEE Standard for Information Technology--Telecommunications and information exchange between systems--Local and metropolitan area networks—(2011) Specific requirements Part 11: Wireless LAN Medium Access Control (MAC) and Physical Layer (PHY) specifications Amendment 10: Mesh Networking, IEEE Std 802.11s-2011, pp.1-372.
- Jangsoo Lee and Sungchun Kim (2009) Mathematical system modeling and dynamic resource allocation through Kalman Filter based prediction in IEEE 802.11 PSM *Industrial Technology*. IEEE International Conference on, Gippsland, VIC, 1-6.
- Kindt P H, Saur M, Balszun M and Chakraborty S (2018) Neighbor Discovery Latency in BLE-Like Protocols in *IEEE Transactions on Mobile Computing* **17** 617-631.
- Lei L, Zhou J, Chen X, Qi L and Cai S (2012) Modelling and analysing medium access delay for differentiated services in IEEE 802.11s wireless mesh networks in *IET Networks* **1** 91-99.
- Li F, He X, Chen S, Jiang L and Wang Y (2013) Traffic distribution of circular sailing routing in dense multihop wireless networks in *Journal of Tsinghua Science and Technology* **18** 220-229.
- Ma J, Lou W and. Li X Y (2014) Contiguous Link Scheduling for Data Aggregation in Wireless Sensor Networks in *IEEE Transactions on Parallel and Distributed Systems*, **25** 1691-1701.
- Malekshan K R, Zhuang W and Lohan Y (2016) Coordination-based Medium Access Control With Space-reservation for Wireless Ad Hoc Networks in *IEEE Transactions on Wireless Communications* **15** 1617-1628.
- Miao G, Azari A and Hwang T (2016) E²-MAC: Energy Efficient Medium Access for Massive M2M Communications in *IEEE Transactions on Communications* **64** 4720-4735.
- Purandare RG, Kshirsagar SP, Koli SM (2016) Analysis of Various Parameters for Link Adaptation in Wireless Transmission. *Innovations in Computer Science and Engineering, Advances in Intelligent Systems and Computing*. Springer, Singapore **413** 9-19.
- Rodenas-Herraiza D, Garcia-Sanchez B A J, Garcia-Sanchez F, Garcia-Harob J (2015) On the improvement of wireless mesh sensor network performance under hidden terminal problems. In *Future Generation Computer Systems* **45** 95-113
- Sgora A, Vergados D D and Chatzimisios P (2009) IEEE 802.11s Wireless Mesh Networks: Challenges and Perspectives in *Mobile Lightweight Wireless Systems. Lecture Notes of the Institute for Computer Sciences, Social Informatics and Telecommunications Engineering* (Eds: Granelli F, Skianis C, Chatzimisios P, Xiao Y and Redana S) pp. 263-271, Springer, Berlin, Heidelberg
- Shahin N, Ali R and Kim Y T (2018) Hybrid Slotted-CSMA/CA-TDMA for Efficient Massive Registration of IoT Devices in *IEEE Access* **6** 18366-18382.
- Swain P, Chakraborty S, Nandi S, and Bhaduri P (2015) Performance Modeling and Analysis of IEEE 802.11 IBSS PSM in Different Traffic Conditions in *IEEE Transactions on Mobile Computing* **14** 1644-1658.
- Terrovitis M, Mack M, Singh K and Zargari M (2004) A 3.2 to 4 GHz, 0.25 μ m CMOS frequency synthesizer for IEEE 802.11a/b/g WLAN Solid-State Circuits Conference, 2004. *Digest of Technical Papers*. ISSCC.2004 IEEE International 98-515.
- Zhu Y H, Luan S, Leung V C M and Chi K (2015) Enhancing Timer-Based Power Management to Support Delay-Intolerant Uplink Traffic in Infrastructure IEEE 802.11 WLANs in *IEEE Transactions on Vehicular Technology* **64** 386-399.